APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

TIME OD LOD	EOD ODEIGE HOE OVEN
Date of filing in State Engineer's Office. SEP	FOR OFFICE USE ONLY 0 9 2009
Date of filing in State Engineer's Office	Q = 2009
l .	
Corrected application filed	Map filed DEC 03 1989 under
	5 4 2 0 7
The applicantRuby Pipeline, LLC., c/o Dan G. Gredv	vig
P.O. Box 1087	
Colorado80944	hereby make(s) application for permission to appropriate
•	stated. (If applicant is a corporation, give date and place of
incorporation; if a copartnership or association give nan	nes of members.)
_) we
19. 	
5	
<u>_</u>	
l. The source of water isunderground - well	Name of stream, lake, underground, spring or other sources.
2. The amount of water applied for is5.57 c	fs (24.55 af)second feet. One sucond foot equals 448.83 gallons per minute.
(a) if stored in reservoir give number of acre-feet	
3. The water to be used for	Construction
4. If use if for:	
(a) Irrigation, state number of acres to be irrigated	
(b) Stockwater, state number and kind of animals	
(c) Other use (describe fully under No. 12)Hydrostati	ic testing and dust control
(d) Power:	
· ·	
Calaborate to the contract to	

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public su to a found section corner. If on unsurveyed land, it should be so stated.)	rvey, and by a course and distance
SW ¹ / ₄ NE ¹ / ₄ Sec 11, T.39 N., R.60 E., MDB&M, or at a point from which the NW corner of said So	ec 11 bears
N. 43° 47° W., a distance of 3744.0 feetFor a map of the proposed POD, use map under Permit N	

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated.)	
$T.41\ N.,\ R.70\ E.,\ portions\ of\ Secs\ 4,\ 5,\ 6,\ 7,\ 8\ and\ 9;\ T.41\ N.,\ R.69\ E.,\ portions\ of\ Secs\ 6,\ 7,\ 8,\ 9,\ 10,\ 10,\ 10,\ 10,\ 10,\ 10,\ 10,\ 10$	1 and 12; T.41 N.,
R.68, E., portions of Sec 1; T.42 N., R.68 E., portions of Secs 33, 34, 35 and 36; T. 41 N, R.68 E., portion	ons of Secs 4, 5,
7, 8, 9, 17 and 18; T.41 N., 1067 E. portions of Secs 13, 14, 15, 16, 19, 20, 21, 22, 23 and	24, T.41 N.,
R.66 E., portions of Secs 19, 20, 21, 22, 23, 24 and 30; T.41 N. R.65 E., portions of Secs 2	24, 25, 26, 27,
28, 29, 31 and 32; T.41 N., R.64 E., portions of Secs 29, 30, 32, 33, 34, 35 and 36; T.41 N	I., R.63 E.,
portions of Secs 25, 31, 32, 33, 34, 35 and 36; T.40 N., R.62 E., portions of Secs 1 and 2.	All MDB&M
For a map of proposed POU, use map on file under Application No. 78493	***************************************
7. Use will begin aboutJanuary 1 st and end aboutDecember 31 st	of each year.
8. Description of proposed works: (Under the provision of NRS 535.010 you may be required to submi specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, well with pump and motor, etc.)	t plans and ditches, and flumes, drilled
Existing 16" well 300' deep	
9. Estimated cost of works:complete	y):
See attached sheet.	
	₹ 2
	'' to
13. Miscellaneous remarks:	हैं के हैं
13. Wiscontinuous felburks.	2 2 ₹
	rri

E-mail Address R. Mighael Turnipseed, P.E.	
(775)885-2101	med #2.
Phone No. Signature. applicant or agent	
204 North Minnesota Street	

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

EXHIBIT "A'

This application is one of several to provide construction water for compaction, dust control and hydrostatic testing. The total project consists of 670 miles of 42 inch Natural Gas Pipeline from Opal, Wyoming to Malin, Oregon passing through Elko Co., Humboldt Co. and Washoe County Nevada. This application is being filed pursuant to NRS 533.371 for a maximum of 2 years and shall expire upon completion of the project. The diversion rate on some of the applications is unusually high because during the hydrostatic test they need to fill the pipe as quickly as possible.

The POD on this application is the same as 78763 but because of biological reasons, the hydrostatic test must go to the east as well as the west and the applicant needs an additional 8 million gallons.